

Comprehensive Listing of DCForensics and DCart, versions 10.8x

- %THD, 441
- .aif, 94
- .asf files, 91
- .avi files, 91
- .bak, 103
- .csv
 - Formants Export, 384
- .cue, 110
 - export this format, 112
 - import this format, 110
- .flac
 - FLAC, 86
- .ini files**
 - definition, 583
- .m3u
 - export this format, 112
 - import this format, 110
- .mov
 - audio extraction, 91
- .MP3, 115
- .mp4
 - video extraction, 91
- .mpeg
 - .mpeg files, 91
- .mpg
 - .mpg files, 91
- .ogg, 94
- .pdf format**
 - printable documentation, 563
- .pkf, 473
- .pkf files**
 - definition, 589
- .pls
 - export this format, 112
- .pst
 - preset file extension, 177
- .sami
 - video format, 91
- .ses files, 460
- .smi
 - video file format extension, 91
- .spt, 449
- .txt, 94
 - Formants Export, 384

- Save As, 94
- .wav file, 36
- .wls
 - import this format, 110
- .WMA File Encoding, 112
- .wma File Format**
 - definition, 600
- .xml
 - DCTune file extension, 103
- .zip
 - presets, 178
- “Gong” sound**
 - CD Burn Complete, 428
- “Q” point, 295
- 10 Band Graphic Equalizer, 258
- 12AT7**, 300
- 12AU7, 301
- 12AX7, 296, 300
- 180 degree
 - phase shift correction, 285
- 2.5 mm
 - phone plug, 642
- 20 Band Graphic Equalizer, 260
- 2A3**, 302
- 2SK-175 MOSFET**, 303
- 3 Band Equalizer, 266
- 3.5 mm
 - audio jack, 642
- 30 Band Graphic Equalizer, 261
- 32,000 Band Graphic Equalizer, 354
- 5881, 301
- 6267 / EF86, 303
- 6EJ7**, 301
- 6L6GC, 301
- 90 degree
 - phase shifted channels, 456
- A above Middle C Frequencies
 - over time, 629
- About Dcart, 478
- About DC-Art
 - about your software, 478
- Accelerators, 604
- acetate, 486
- Acetate Tape, 486
- acetone, 521
- Acknowledgements
 - Credits, 4
- acoustic feedback, 543
- Acoustical Impedance**
 - definition, 567
- Acoustical Reactance**
 - definition, 567
- Acoustical Resistance**
 - definition, 567
- acoustically mastered, 272
- Acoustically Mastered**

- definition, 567
- A-D Converter**
 - definition, 567
- Adaptation Speed**, 345
- adaptive
 - Auto Voice Filter, 409
- adaptive equalizer, 355
- Adaptive Frequency Domain Filter, 226
- ADPCM**, 567
- AES, 567
 - LP EQ Curve, 273
- AGC, 308
- AGC or ALC**
 - definition, 567
- Aiff, 87
- AIFF**
 - definition, 568
- Aircheck 1933 Demo**
 - wave file, 481
- airplane engine
 - speed measurement, 373
- A-law Compression**, 567
- Album
 - DCTune Library, 101
- ALC, 308
- alcohol, 521
- algorithm, 530
- Algorithm**
 - definition, 568
- Aliasing**
 - definition, 568
- Aliasing artifacts, 227
- Alternate FFT
 - Preference, 171
- AM – FM
 - Signal Simulation, 161
- ambience, 312
- ambient sound, 369
- American 78's, 272
- Ampere**
 - definition, 568
- Amphenol, 641
- amplifier, 29
- Amplifier**
 - definition, 568
- amplify
 - a signal, 143
- amplitude, 36
- Amplitude**
 - definition, 568
- Amplitude Modulation (AM)**
 - definition, 568
- Amplitude-Frequency Distortion**
 - definition, 568
- Analog**
 - definition, 568

- Analog Noise Filter, 233
- Analog Tape Hiss**, 488
- Analog tape recording, 485
- Append to End, 130
- APPLICATION LIMITATION
 - Product Usage, 688
- Application Look
 - user choice, 468
- Application Notes, 602
- Archival Recording, 490
- archive, 100
- ARCHIVE
 - User Information, 688
- Aromatic**
 - definition, 568
- Aromatic solvents, 521
- Arrange Icons, 474
- articulation, 368
- Artifact Suppression Mode**, 221
- Artist
 - DCTune Library, 101
- Attack Time**, 219, 348
- Attenuate**, 569
- Attenuation chart, 621
- attenuator, 621
- audible enunciator, 172
- Audible Wave Analyzer*, 544
- Audio Connection Standards**, 640
- Audio Extraction, 90
- Audio Frequency Spectrum**, 626
 - definition, 569
- Auto EQ, 354
- Auto Leveling, 183
- Auto Sample**, 360
- Auto Spectrum
 - auto spectrum CNF, 217
- Auto Spectrum CNF Mode, 216, 224
- Auto Voice Filter
 - forensic, 409
- automatic De-Clipping*, 498
- automatic equalizer, 354
- Automatic Level Control, 308
- Available Hard Drive Space**, 473
- Available Recording Time**, 152
- Average Angle, 453
- averaged vector displacement angle, 451
- Averaging Filter, 255
- azimuth, 451
- Azimuth**
 - definition, 569
- Azimuth Correction, 283
- Background Tasks, 34
- Backup First**, 520
- Balance control, 268
- balance meter
 - optimized record transfer, 268

Band Pass Filter, 241
Band-pass Filter
definition, 569
Band-stop Filter
definition, 569
Bar Graphs, 202
bass, 258
Bass
Tone Control, VPA, 269
Batch File Editor, 179, 183
(multifilter), 179
BBS, 603
BCF
Big Click Filter, 213
beam power pentode, 301
Berliner, 569
definition, 569
Bessel, 441, 450
Big Click Filter, 213
bi-modal interpolation
time & frequency domain, 132
binaural, 344
bit depth conversion, 167
Bit Rate, 472
Blackman, 438
Blast
definition, 569
bleep
tone, 137
blend control, 313
Blend to Mono, 520
Blue Amberol, 526
definition, 570
Box Zooming
with rectangle, 465
brass instrument, 202
Brick Wall Filter, 350
brilliance, 330
Broadcast .wav
supported format, 86
Broadcast Wave
definition, 570
file header editing, 146
Brown Noise, 160
definition, 570
Buffer
definition, 570
Buffers, 171
bug fixes, 15
Build Statistics
Forensics Waveform, 378
Burn Options, 428
Burst signals
creation, 160
Butterworth, 241
Butterworth Filter, 570

Buzz, 570
BWF
 Broadcast Wave, 146
 definition, 570
Bypass, 49
Byte
 definition, 570
Cables
 and connectors, 640
cadence, 320
Calibration
 digital audio system, 510
 Forensics Workstations, 510
Cancel, 50
Cannon
 connector, 278
Capacitance
 definition, 570
capstan, 319
cascade
 filters in Multifilter, 188
Cascade, 474
Cassette, 488
Cassette Tape Equalization Time Constants
 definitions, 571
CBR, 174
CD burner, 428
CD Player
 DCTune Library, 114
CD Prep Menu, 422
CD Ripper, 115
CDDB Lookup
 cd database lookup, 116
CDDB Setup, 175
CDMA Phones, 504
CDR Prep, 492
cell phone noise, 504
Cent
 definition, 571
Cents
 Overtone synthesizer, 329
 subharmonic synthesizer, 327, 329
cepstrum
 Voice ID, 382
Cepstrum (Complex)
 definition, 571
Cepstrum (Power)
 definition, 571
Ceramic Phono Cartridges, 32
Chain of Custody
 Forensics Recordings, 506
Change Resolution, 166
Change Sample Rate, 166
Change Speed, 317
channel balance, 278
Channel Blender, 310

- Channel Phase vs Time
 - graph, 412, 452
- Channels**, 150
- Charge**
 - definition, 571
- Charts, 602
- Chebyshev Filter**, 571
- Check
 - for updates, 478
- Check for Updates
 - software updates, 478
- Chimes, 172
 - preference, 172
- chirp Z transforms, 443
- Chirp Z-Transform**
 - definition, 572
- Choosing between Classic and Fast Editing mode, 39
- Chop File into Pieces, 423
- Chroma/Intensity Modulation, 366
- cine, 363
- Class AB, 572
- class-A, 301
- Classic Editing mode, 425
- Classic mode**, 552
- Classification of Amplifiers**, 572
- Clean Display, 172
- clear
 - Multifilter Signal Patth, 192
- Clear All Markers, 420
- Clear Button**, 434
- Clicks, 199
- clip indicator
 - VU Meter, 458
- Clip Level**
 - De-Clipper, 398
- clipping
 - forced, 426
- Clipping**, 572
- Clone Source**, 121
- Close All, 474
- Close Source, 114
- closed form
 - VPA Math Method, 265
- CMRR**
 - definition, 573
- CNF, 215
 - Continuous Noise Filter, 215
- Co-Axial Cable**
 - definition, 573
- co-axial cables, 517
- cockpit voice recorder
 - 400 Hz Generator Noise, 373
- Codec**
 - definition, 573
- coherence
 - between signals, 413

- Color Palette**, 367
- Columbia, 523
- Columbia LP curve, 271
- Columbia LP Equalization Curve**
 - definition, 573
- comb, 230
- Comb Filter, 500
 - definition, 573
- Common Mode Rejection Ratio**
 - definition, 573
- Compact Disc**, 571
- Compander
 - dynamic bass processor, 335
- Compander Mode**
 - dynamic bass processor, 337
- Comparative Histogram
 - Forensics, 389
- complex cepstrum
 - Voice ID, 382
- complex waveforms
 - using edit/paste mix, 160
- Compressor, 306, 313
 - definition, 573
- Concatenate File, 183
- Connectors
 - Audio (pinouts), 640
 - Audio Connectors, 640
- constant velocity, 516
- Contact Information, 566
- Context Sensitive Help, 476
- Continuous Noise, 213, 215
 - Filter, 215
- Continuous Playback Mode
 - DCTune Library, 108
- Control Points, 55
- Convergence**, 345
- Conversion Quality, 166
- Copy, 126
- Copy and Paste, 127
- Copyright, 3, 478
- Corner Frequency**, 573
- corrupted .wav file headers
 - edit/repair, 146
- Coulombs
 - definition, 571
- covert military
 - surveillance - flashback, 194
- CPS
 - definition, 581
- Crackle, 199, 201
 - definition, 574
- create .mp3s, 94
- Crest Factor**
 - definition, 574
- Cross Fade, 286
- Crossfade, 135

- Cross-fade, 286
- crossover distortion
 - definition, 587
- crossover frequency, 357
- Crosstalk**
 - definition, 574
- CSV Files
 - Save As, 94
- CUE
 - export file format, 112
 - Import File Format, 110
- cue words, 368
 - voice print, 368
- Current System Status**, 152
- cursor, 155
- curvilinear**, 318
- Custom Sample Rate, 151
- customize**
 - keyboard accelerators, 605
- Cut, 129
- cut vinyl masters
 - with RIAA curve, 277
- cylinder, 491
- D-A Converter**
 - definition, 575
- Dampening Factor**
 - pwr amps & low freq drivers, 574
- DAO, 428
- D'Arsonval
 - VU Meter, 170
- DAT**, 33, 580
- Data Disk Burner, 96
- database, 100
- dB (decibel)**
 - definition, 574
- db/Octave, 531
- dBm**
 - definition, 574
- dBu**
 - definition, 575
- dBv**
 - definition, 575
- DC Offset**, 575
- DC Tune Library, 100
- DCArt
 - Diamond Cut Audio Restoration Tools, 15
- DC-Art**
 - definition, 575
- DCAT-3 Audio Test CD Set, 684
- DC-Offset
 - High Pass Filter, 248
- DDD, 294
- decay, 306
- Decibels, 623
 - Chart, 623
- decimation, 443

- Decimation, 370
- De-click**, 60
- Declicking, 496, 497
- DeClipper, 396
- De-Crackling, 254
- De-Emphasis**
 - definition, 575
- deep bass, 327
- De-Ess**
 - definition, 575
- De-Esser, 308, 309
 - definition, 575
- delay lines, 291
- delay time, 306
- Delete All Filters
 - from Multifilter, 192
- Delete All Temp Files, 143
- delete filters
 - multifilter, 195
- Deleting Wave files, 122
- demo, 475
- demo .wav file
 - Forensics version, 562
- demo .wav files
 - location, 479
- Demo .wav Files, 479, 480
- Demo Files
 - Quick Access, 95
- demo1.wav
 - getting started example, 40
- Destination window, 64
- detail control, 297
- Development Timeline**, 676
- de-verb
 - reverb reduction, 305
 - reverberation reduction, 409
- Device I/O Selection, 155
- dial presence, 314
- Dial Tone Phone Frequency Chart, 645
- Diamond Cut Productions, 575
- Diamond Cut Productions, Inc Home Page, 603
- Diamond Cut Productions, Inc.**
 - definition, 575
- Diamond Discs**, 575
 - definition, 575
- Differentiator**
 - definition, 575
- Digital Rights Management, 101
- DIN, 641
- Direct X**
 - version running on system, 560
- DirectX Filters, 195
- DirectX Sound**
 - error, 558
- Disc At Once**, 428
- Disc Space Consumption**, 629

- Disguised Voice Effect, 323
- Display Colors, 172
- Display Controls**, 364
- Display Frequency Labels**, 367
- Display Frequency Range**, 367
- Display Mode**, 433
- Display Preferences, 172
- Display Time Format, 172
 - preference, 172
- Display X-Axis, 173
- Display Y-Axis Amplitude
 - preference, 173
- Distortion, 439
 - definition, 576
- Distortion Analyzer, 439
- Dither, 166, 576
- Doppler effects
 - measurement and logging, 374
- double precision floating point math, 20
- Double-Ended Noise Reduction**
 - definition, 576
- Drive**, 576
 - definition, 576
- Drive & Directory, 168
- DRM, 86
 - Digital Rights Management, 86
- Drop A Marker, 420
- drop marker, 420
- Dry, 292
 - definition, 576
- dry run**, 522
- DSS™, 400
- DTMF**
 - definition, 576
- DTMF(touch tone) signals, 499
- Dual Waveform Display**, 433
- DUT
 - Device Under Test, 442
- dwelt-time, 290
- DXing
 - Short Wave Radio, 191
- Dyna-Bass
 - demo file & preset, 482
 - effect, 333
- Dynamic Bass Processor
 - filter, 333
- Dynamic Filter**
 - definition, 576
- Dynamic Inter-modulation Distortion)**
 - definition, 576
- Dynamic Noise Filter, 233
- dynamic range, 305
- Dynamic Range**
 - Chart, 625
 - definition, 577
- Dynamic Rumble (Only) Filter

- CNF Preset, 229
- Dynamic Spectral Subtraction™, 400
- Dynamics Processor, 304
 - definition, 577
- Ear**
 - definition, 577
- Early Columbia LP's, 271
- EC90
 - Tube type, 650
- ECC35
 - Tube type, 651
- ECC81
 - Tube Type, 651
- ECC82
 - Tube Type, 651
- ECC83, 300
- Echo, 291
- echo chamber, 291
- Echo Effect, 291
- echoes
 - reduction, 305
- Edison Lateral Series, 681
- Edison, Thomas Alva**
 - definition, 577
- Edit History*, 169
- Edit Menu, 125
- Edit Mode Switch**
 - Classic or Fast Edit, 34
- educational**
 - programs, 563
- EF183, 301
- EF86, 651
 - Tube Type, 651
- Effects Menu, 289
- EL-37, 650
- EL-84
 - Tube type, 650
- Electrical Recording**
 - definition, 577
- electromagnetic field, 514
- Electron Tube**, 577
- Electron Tubes
 - common audio types, 649
- Elliptical Stylus**
 - definition, 578
- ENF
 - Electric Network Frequency, 502
- Engineering**
 - definition, 578
- Envelope**
 - definition, 578
- EQ Matching, 355
- Equalization chart for LP records, 632
- equalization curves, 265
- Equalizers
 - location, 257

- equal-tempered scale, 160
 - musical, 160
- European 78's, 272
- Exciter, 296
- Exciter Control**, 333
- Expanded File Conversion
 - (Large Size File Conversion), 89
- Expander, 305, 313
 - definition, 578
- Expert Impulse filter, 199
- Expert Impulse Noise, 204
- explosions
 - detection, 375
- Exponential, 326
- Export
 - playlists, 111
- Exporting a preset
 - presets manager, 179
- Extended Recording, 153
- extended support
 - Forensics version, 564
- EZ Clean Filter, 184
- EZ Enhancer, 332
- EZ Forensics Filter™, 341
- EZ Impulse Noise, 199
- EZ-80
 - Tube type, 651
- factory presets
 - starting points, 19
- Fade In, 140
- Fade Out, 141
- FAQs
 - Frequently Asked Questions, 549
- Fast Edit History, 459
- Fast Forward, 148
- Fast-Edit (single file editing mode) mode, 35
- Fat Bass, 298
- feedback, 248
- Feedback, 292
- feedback control, 293
- feed-through
 - real-time, 188
- FFRR, 578
 - LP EQ Curve, 273
- FFT, 218
- FFT analyzer, 443
- FFT Size (Resolution)**, 223
- FFT Size(number of Frequency Bands)**, 359
- FIFO**, 578
- File Conversion, 278
- file formats
 - supported formats, 94
- file header
 - editing, 144
- File Info, 473
- File Menu, 86

file name

max number of characters, 562

File Naming, 424**file paths**, 564

Forensics8, 564

File Properties

edit menu, 144

File Split and Recombine, 176

Filter Co-efficients, 346

Filter Finder, 80

filter frequency, 545

Filter Length, 345

Filter Menu, 179

Filter Slopes, 243

Filter Sweeper, 324

Find and Mark

Silent Passages, 424

Find and Mark Silent Passages, 424

FIR, 350

FIR (Finite Impulse Response)

definition, 578

Firewire

Ripping to, 117

FLAC

definition, 578

Lossless Compression, 546

Flashback, 193

memory, 193

flat phono pre-amp, 266

flat phono preamplifier, 266

Flat Spectrum

dither, 166

Fletcher-, 578, 580, 589

Fletcher-Munson, 578

Flutter, 578

definition, 578

FM stereo, 311

font size, 124

Forensic Tape Authentication, 500

ForensicDemo.wav

description of file, 483

Forensics AFDF, 226

Forensics AFDF Mode, 216

Forensics Audio Laboratories

Security and Practices, 504

Forensics Demo

Basic Demo Demonstration, 419

multifilter preset, 419

Forensics Demo Clean-up, 562

Forensics Demo Clean-up Filter

Multifilter Preset, 419

Forensics Menu, 339

Forensics software

training courses, 565

Forensics Toolbar, 339

formants

- vocal, 368
- Voice ID, 382
- Formants**
 - definition, 579
- Forum, 603
- Fourier Transform**
 - definition, 579
- Fractional Speed
 - Chart, 638
- Fractional Speed Mastering**
 - definition, 578
- Free Disk Space**, 152
- Freeze button**, 345
- Frequency Axis Selector**, 366
- frequency bands, 436
- frequency bins, 448
- frequency domain interpolation, 132
- Frequency Labels**, 367
- Frequency Modulation (FM)**
 - definition, 579
- Frequency Resolution of Spectrum Analyzer**, 434
- frequency response, 487
 - Voice ID, 382
- Frequency Response**
 - definition, 579
- Frequency Tracker
 - Forensics, Spectral, 373
- full duplex, 579
 - real time feedthrough, 188
- Full-Duplex**
 - definition, 579
- Function Finder Table, 607
- function generator, 159
- fundamental frequency
 - pertaining to subharmonics, 230, 232, 326, 329, 581, 588, 596
 - relating to overtones, 329
- fuzz box, 294
- gain**
 - control, 285
- Gain**
 - definition, 579
- Gain and Balance**, 529
- Gain Change, 143
- Gain Change feature, 143
- gain control, 38
- Gain Normalize, 425
- Gain Riding, 510
- galvanometer, 268
- Gamma Scaling
 - Spectrogram, 366
- Gang**
 - Amplitude controls, 285
- garbled voice recordings, 254
- General Information, 567
- Generational Loss**
 - definition, 580

- Genre
 - DCTune Library, 101
- German, 652
- Getting Started
 - step by step guide, 44
- Getting Started Demo
 - Demo1 .wav, 40
 - wavefile, 40
- Glossary, 567
- gong
 - disc burn complete, 100
- Graphic Equalizer, 258
 - definition, 580
- Graphs
 - technical graphs, 602
- Grayscale, 367
- Green Zones
 - filters or effects, 19
 - slider controls, 18
- Grey Noise
 - from white noise conversion, 165
- Greyed out items, 86
- grit
 - guitar effect, 294
- Ground Loop**
 - definition, 580
- ground loops, 515
- GSM
 - Cell Phone Noise Filter, 407
- GSM Cell Phone Noise, 503
- Half Speed Re-Mastering**, 528
- Hamming, 438
- Hams, 66
- Hanning, 438
- Hardware Connections, 29
- Harmonic Distortion, 164
 - definition, 581
- Harmonic Exciter**
 - definition, 580
- Harmonic Exciter Mode, 296
- Harmonic Number, 231
- Harmonic Reject, 230
- Harmonic Reject filter, 230
- Harmonic Reject Filter**
 - definition, 581
- Harmonics**
 - definition, 581
- hash
 - cryptographic, 379
- hearing**
 - ability, 577
- Helmholtz Resonator**
 - definition, 581
- Help Menu, 475
- Hertz, 228
 - definition, 581

Heterodyne

definition, 581

Heterodyning, 81

hexadecanoic acid, 522

Hi Noise Mode

VVA, 299

High Pass Filter, 245

High Precision Spectrum Analyzer, 443

Highlight, 229

High-pass Filter

definition, 581

hill and dale, 282

Hill and Dale

definition, 581

Hind Quaternion, 208

Hiss, 581

Hiss Control, 186

hissy – sibilant sounds, 329

Histogram

Comparative, 389

vs Time, 387

Histogram vs. Time

view, 386

histograph

or histogram, 386

History, 674

host

VST Plug-ins, 195

Hot Key Index, 604

How To Do Just About Anything, 479

Hum

definition, 582

Hum Selector, 186

Human Hearing Frequency Response vs. Age, 627

Human Voice Frequency Range

definition, 582

HVAC, 326

noise reduction, 334

I/O

definition, 584

ID3V2 mp3 tags, 117

Ignition Noise / Static, 82

IIR, 582

IIR Checkbox

Harmonic Reject, 231

IM Distortion

Inter-Modulation, 221

Inter-Modulation Distortion, 221

Impedance

definition, 582

Import Playlists, 114

Importing a preset

preset manager, 179

Impulse

definition, 583

Impulse Noise filters, 199

Impulse Noise Generation, 512
In-band, 339
inches per second, 488
incoherent
 make waves noise, 160
Inductance
 definition, 583
Inertia
 definition, 584
inflection points, 220
Input Device, 495
Insert at Start, 130
Installing
 the software, 14
instant playback
 flashback mode, 194
instant replay
 flashback mode, 194
instant review
 flashback mode, 194
Instantaneous Sound Recordings
 definition, 583
instantaneous vector angle, 451
Integrator (\int)
 definition, 583
Intelligibility of Forensicsrecordings, 284
Inter-modulation (Distortion)
 definition, 583
intermodulation distortion, 221
Inverse Palette
 Spectrogram, 367
Invert, 293
Invert Phase
 Channel Blender, 313
iPhone
 Audio jack pinout, 642
IPS, 584
James-Baxandell
 Tone Controls, 257
Jitter Correction, 119
jittery
 display or cursor, 560
Jukebox, 344
Kaiser, 449
Kaiser-Bessel, 449
keep residue, 345
Keyboard accelerators, 604
kHz (kilo Hertz)
 definition, 584
knowledge base, 565
kOhms
 definition, 584
KT-66, 302
L/R buttons, 176
Lab Computer Installation
 Forensics, 27

- Landscape
 - printer, 124
- laptops, 32
- Large File Conversion to .wav
 - Expanded File Conversion, 89
- laser diode, 98
 - data disc burner, 98
- latency, 191
 - minimize in Live Preview Mode, 192
- Latency**
 - definition, 584
- lateral cut, 281
- Lateral Cut**
 - definition, 584
- Launch**
 - definition, 584
- leaky, 344
- Least Significant Bit (LSB)**
 - definition, 584
- License Agreement, 687
- LIMITED WARRANTY, 688
- limiter, 307
- Limiter**
 - definition, 584
- line frequency, 501
- Line Level, 29
- Line Level Signal**
 - definition, 584
- Lissajous**, 584
- Lissajous figures, 454
- listen
 - while recording, 193
- Live Mode, 66
- Live Preview, 191
 - Multifilter, 188
- Live Preview Mode latency
 - minimization, 192
- load capacitance, 518
- Lobe Width, 436
- Log to Disk, 192
- logarithmic, 535
- Loop Play, 147
- Loudness**
 - definition, 585
- Loudness Contours, 264
- Low Pass Filter, 237
- Low-pass Filter**
 - definition, 585
- LP, 281
- LP Equalization
 - Chart, 634
 - Chart (by label), 632
- M3U
 - export file format, 112
 - Import File Format, 110
- magnetic phono cartridge, 491

Magnetic Phono Cartridge

definition, 585

magnetic tape recording

emulation / simulation, 558

Make Destination the Source, 121

Make Noise

of various colors, 159

Make Waves, 159

Male Vocal Discriminator

subharmonic synthesizer, 328

Manage Presets

Preset Manager, 177

Manual De-Clicking, 128

Manual De-Clicking with Paste Interpolate, 131

Manual Splitting, 542

Marker Reaction Time, 170

Markers, 420

masked, 62

masking, 325

Matched Filter

algorithm, 408

maximum file name

number of characters, 562

Maximum Harmonic

Harmonic Reject, 231

Mbyte

definition, 585

Measurement Table, 619

Median

definition, 585

Median Filter, 251

Mem (Memory) Button, 449

mHz, 163

microcassette recorders

potential edits, 376

Microcassette Tape Start-Stop Detector, 502

microphone

connection(s), 32

microphone pre-amp, 518

Mids

Tone Control, VPA, 269

millihertz, 163

Milliseconds

definition, 585

Mils

definition, 585

Minimum Duration, 150

Mix control, 297

Mixing two audio files, 134

MME, 171

Modulation

definition, 585

Mono Mode

DCTunes, 109

Monophonic, 586

MOSFET, 303

- MP3 decoder, 88
- Mp3 Encoder, 114
- MP3 Encoder
 - MP3 encoder setup, 174
- Mu (μ)**
 - definition, 586
- muddiness, 245
- muddy bass, 310
- muffled conversations, 352
- muffled forensics recordings
 - Overtone Synthesizer, 329
- Mu-law (μ -law) Compression**
 - Mu-Law Compression, 586
- MultiFilter, 188
- Multi-path distortion, 310
- Multi-path Distortion**
 - definition, 586
- multiple instances**
 - running at same time, 550
- multiple notch, 230
- Multiple Notch Filter**
 - definition, 586
- Multiplex Noise, 82
- Music
 - Diamond Cut Releases, 681
- Musical Scale**, 628
 - definition, 586
- Mute, 138
- Mylar and Polyester backed Tape, 487
- NAB
 - LP EQ Curve, 273
- NAB Equalization Curve**
 - definition, 587
- Narrow band mode**, 416
- Narrow Crackle Filter, 212
- Navigator
 - record restoration, 70
- NCF
 - Narrow Crackle Filter, 212
- negative feedback, 301
- Neper (Napier) (Np)**
 - definition, 587
- NIST
 - Measurement Standards, 510
- Noise**
 - definition, 587
- Noise Distributions
 - chart, 649
- Noise Gate, 305
 - definition, 587
- Noise Print, 228
- noise threshold, 228
- Noisegraph®, 186
- noiseprint, 217
- Nomenclature
 - software products, 686

- non-linearity, 295
- Normalized Gain Scaling, 426
- Normalized Least Mean Squared, 346
- Notch Distortion**
 - definition, 587
- Notch Filter, 248
 - definition, 587
- Notice**
 - restriction of use, 3
- NOTIFICATIONS
 - updates & upgrades, 689
- NUDGE
 - Hotkeys, 605
- Nudge Size, 169
- null-point
 - balance meter, 268
- Octave**
 - definition, 587
- Offset**
 - definition, 587
- Ogg Vorbis, 86
 - definition, 600
- Ogg Vorbis tags, 546
- Ohm (Ω)**
 - definition, 587
- Ohms Law**
 - definition, 588
- Online Knowledge Base
 - Diamond Cut Productions, Inc., 477
- Open Destination, 120
- Open Source, 86
- Operating Modes, 34
- Operating point, 296
- Operating Point**, 295
- Operating System
 - preferred, 24
- Optimal Power Calibration**
 - CD Burner Laser, 429
- opt-out
 - email notifications, 689
- OSHA Noise Standards, 443
- out-of-band noise, 242
- output level, 295
- Output Mix, 292
- overdriven, 144
- overdriving
 - normalized gain scaling, 426
- Overlap**, 223
- Overlap %, 225
- overload indicator, 259
- Over-modulation**
 - definition, 588
- Overtone Synthesizer, 329
- Overtones**
 - definition, 588
- P48

- definition, 588
- Paper Backed Tape**, 486
- Paragraphic Equalizer, 262
 - definition, 588
- parametric equalizer, 494
 - paragraphic EQ, 262
- Parametric Equalizer**
 - definition, 588
- Paste, 130
- Paste As A New File, 136
- Paste Bleep
 - (440 Hz Tone), 137
- Paste Crossfade, 135
- Paste Insert, 134
- Paste Interpolate, 131
- Paste Over, 133
- Paste Silence, 137
- Patches, 603
- Pathe, 282
- Pathé**
 - definition, 588
- Pattern Matching
 - algorithm, 408
- Pausing and Resuming Playback, 155
- Peak files, 473
- Peak Hold**, 459
- peaking filters
 - (resonant), 264
- Pencil, 137
- Pencil Tool*, 138
- Pentium 4
 - Intel, 24
- Pentode**, 301
 - definition, 588
- Phantom Microphone Power**
 - definition, 588
- phase controlled
 - light dimmer interference, 552
- phase inversion
 - 180 degrees, 285
- Phase Inversion, 285
 - definition, 588
- phase inverter, 302
- phase jitter, 451
- phase vs time
 - discontinuities, 413
- Phase vs Time
 - graphical plot, 412
- phasing, 517
- Phon**
 - definition, 589
- Phono Cartridge
 - Wiring Standard, 642
- phonograph
 - Stroboscope Chart, 638
- ping-pong, 310

- Pink Noise, 160
 - definition, 589
- Pitch Shift**, 321
- Pitch Shift Mode**, 322
- plate, 577
- Play, 154
- play CDs, 114
- Play Looped, 156
- Play+n**, 147
- Playback Controls, 146
- Playlist, 109
- Playlists, 107
- PLS
 - export file format, 112
- Point, Click and Measure, 450
- pole-zero
 - pair, 264
- Pop Screen**
 - microphone, 560
- Pops, 199
- Portrait
 - printer, 124
- Power**
 - definition, 589
- Power Amplifier**, 590
- Power Cepstrum**
 - definition, 590
- Power Spectrum**
 - energy, 439
- preamplifier, 296
- Pre-Amplifier**
 - definition, 590
- Pre-Emphasis
 - definition, 590
 - Voice ID, 384
- Preferences, 168
- Preserve Original**, 423
- Preset Listings, 658
- Preset Manager, 177
- Presets, 177
 - definition, 590
- Presets Sharing Forum, 603
- preview
 - stop preview, 46
- Preview Buffers, 553
 - Soundcard Preference, 171
- Preview Buffers (2 to 50), 171
- Preview Button
 - toggle switch, 160
- Preview function, 244
- Preview Mode**, 246
- Print, 122
- Print Preview, 123
- Print Setup, 123
- Printable Documentation
 - .pdf, 563

Printing A Screenshot, 123
Product Development Timeline, 676
Product Model Number
 Nomenclature, 686
product updates, 15
propagation delay, 513
Proprietary Notice
 intellectual property, 3
proxy computer
 forensics installation, 27
Punch and Crunch, 313
Pure Tones, 590
push-pull, 301
Q
 definition, 590
Quality Assurance
 for Forensics Audio Labs, 510
quantization errors
 minimization thereof, 189
Quantize, 422
Quantize for CD Audio, 422
Quefrency
 definition, 591
Quiescent Point
 definition, 591
RAM (Random Access Memory)
 definition, 591
Random Impulse
 Random Impulse Generation, 512
random Noise, 438
Random Noise
 Color, 163, 649
random phase
 make waves noise generator, 160
Range (dB), 359
rasterization, 122
RC coupled, 300
RCA, 640
real time, 24
Real Time
 definition, 591
Real Time Analyzer, 591
real time feedthrough
 Live mode - Multifilter, 188
Rebuild Peak File, 473
record speed, 593
Record Speed
 Chart, 637
Record Styli
 Chart, 636
Recorded telephone conversations, 537
Recording Audio, 149
Recording Device, 149
Recording Level Meters, 149
recording monitors
 output during recording, 193

- Recording Resolution, 151
- Rectangular
 - Window, 437
- Rectangular Windowing, 438
- Rectified Voltage**
 - definition, 591
- Red Book Audio CD's, 115
- Red Noise
 - generation, 165
- redact
 - bleep out, 137
- Reference Signal, 345
- registration code, 14
- Registration Code
 - (finding it in software), 478
- Re-Initialize on Play
 - Soundcard Preference, 172
- Release Time**, 219, 349
- Remove Silence
 - forensics tool, 395
- Removing a lead vocal, 519
- Re-Number Markers, 421
- repeated playing
 - DCTune Library, 108
- repetitive noise**, 339
- replay
 - instant, 194
- Reporting a Problem, 566
- Residue**
 - definition, 591
- Resistor (Resistance)**
 - definition, 591
- Resistor Color Code, 623
- Resolution**, 592
- Resolution Chart**, 435
- resolution conversion, 166
- resonance, 516
- Resonance (Electrical)**
 - definition, 592
- resonant filter
 - (peaking), 264
- Restore Defaults
 - Voice ID, 383
- Restoring an old 78 rpm recording, 520
- Restoring the Demo, 475
- Reverb, 289
- reverberation
 - reduction, 409
- Reverberation**
 - definition, 592
- reverberations
 - reduction, 305
- Reverse File, 309
- Reverse RIAA, 517
- Reverse RIAA Curve**
 - definition, 592

- Reverse RIAA Mode, 272
- Rewind, 148
- RIAA**, 592
- RIAA / IEC Equalization Curve**
 - definition, 592
- RIAA encoded vinyl master
 - create master EQ curve, 277
- RIAA Vinyl LP / 45, 271
- Right Mouse Button**, 592
- Rip CD Tracks, 115
- RMA, 623
- Roll-off, 516
 - definition, 593
- Roll-off Frequency**
 - definition, 593
- Rotary Head, 639
- RPM, 638
- RPM (Revolutions Per Minute)**
 - definition, 593
- RTA
 - Real Time Analyzer, 445
- Rumble**
 - definition, 593
- Rumble Filter**, 270
 - Virtual Phono Preamp, 270
 - VPA, 270
- rumble reduction, 538
- S/PDIF**, 33
 - definition, 595
 - SPDIF, 640
- sample
 - .wav files, 484
- Sample Noise**, 54
- Sample Rate, 150
 - definition, 593
- Sample Spectrum, 355
- Sampling Theorem**
 - definition, 593
- Save, 94
- Save Edit Session, 169
- Save Source As, 94
- Scratch, 201
 - scratches, 200
- Screen Saver, 34
- Scroll Waveform, 170
- Scrub Audio, 147
 - scrubber, 147
- search engine
 - DC Tune Database, 105
- Security Tips
 - Forensics Audio Labs, 504
- Seismic Noise, 160
 - signal generation, 162
- Select All, 137
- Selected Samples
 - of file, 379

- selective filtering, 324
- serial number
 - registration, 14
- Serial Number
 - (finding it in software), 478
- servo motor, 324
- session
 - history files, 460
- Set Start Time
 - wavefile, 457
- SHA-1
 - hash of file, 378
- Sharp Cutoff Checkbox
 - Overtone Synthesizer, 331
 - sub-harmonic synthesizer, 328, 331
- Shelving**
 - filter, 264
- Shibata
 - CD-4 Quadraphonic, 527
- Shielded Cables**
 - definition, 594
- Shortcuts
 - to Demo Wavefiles, 480
- Shuffle Play, 106
- sibilance, 575
- sibilant sounds
 - Overtone Synthesizer, 331
- SID**
 - definition, 594
- signal generator, 159
- Signal-to-Noise Ratio**
 - definition, 594
- silence**
 - minimum between files, 560
- Silent Passages, 423
- Silk
 - VVA Spectrum Mode, 297
- Silk mode
 - Virtual Valve Amplifier, 298
- Simulate stereo, 540
- SINAD (Signal, Noise And Distortion)**
 - definition, 594
- Sine Wave, 164
- Sine Waves, 159
- single file operations, 125
- single-ended, 233
- Single-Ended Noise Reduction**
 - definition, 594
- sirens
 - signal tracking, 374
- Slew Rate**
 - definition, 594
- slider controls, 234
- Slope, 240
 - definition, 594
- slope control, 397

- slot filter, 249
- Slot Filter**, 594
- slow left-mouse double-click, 116
- Smooth Spectrum
 - spectrum analyzer, 446
- Smoothing Checkbox, 225
- Smoothing Mode, 222, 223
- Snap Selection to Zero Crossing, 142
- Solo/Brass**, 202
- Sone**
 - definition, 594
- Sound Card, 171
- Sound Card Selection, 28
- Sound Level**, 595
 - Chart, 624
- Sound Wave Velocity**
 - definition, 595
- sound-print, 360
- Source and Destination mode, 35
- Source window, 51
- span, 157
- Span
 - time display, 457
- Spanish, 652
- Spatial Enhancer
 - Channel Blender, 312
- spatializer
 - channel blender, 310
- Spatializer
 - Spatial Enhancer, 312
- Special effects, 242
- Spectral Difference, 355
- Spectral Copy, 355
- Spectral Enhancer, 535
 - definition, 596
- Spectral Filter, 354
- Spectral Frequency Tracker
 - Forensics, 373
- spectral inverse filter, 354
- Spectral Matching, 355
- Spectral Subtraction**
 - definition, 596
- Spectral Subtraction Mode, 216
- Spectrograph**
 - definition, 595
- spectrographs, 363
- Spectrum**
 - definition, 595
- Spectrum Analyzer, 432
 - definition, 596
- speech clarifier, 355
- Speech Filter, 538
 - definition, 595
- Speed**
 - definition, 595
- Speed Change, 317

- Splash Screen, 172
- Spline, 353
- Split and Recombine, 176
- Square Wave**, 596
- Square Waves, 159
- stability, 347
- Standard Precision Spectrum Analyzer, 432
- Standards
 - laboratory, 510
- Standards organization
 - NIST, etc, 510
- Stanton 500
 - compensation curve, 514
- Stanton 500 RIAA Compensation Curve Preset for the Multifilter, 514
- Start Frequency, 448
- Starting Pitch**, 318
- Static, 81
- Statistics
 - forensics waveforms, 378
- Status Bar, 472
- Step 1**
 - Record Restoration Wizard, 71
- Step 2
 - Record Restoration Wizard, 77
- Step 3
 - Record Restoration Wizard, 78
- Step By Step Guide, 46
- Steps N on forward
 - Record Restoration Wizard, 79
- Stereo Reverse**, 280, 557
- Stereo Simulation, 285
- stereo system, 553
- sticky shed, 487
- Stop Band, 436
- Stop Frequency, 448
- Stout
 - dyna bass mode, 335
- Stout (mode)**
 - dyna bass checkbox, 337
- Strength control, 398
- stress
 - vocal, 386
- Stretch and Squish, 320
- strobe disc, 638
- Stroboscope, 596
- Stroboscope Disc Metafiles
 - Printable Strobe Discs, 638
- stuttering, 50
- Styli**
 - definition, 596
- styli list
 - (styluses), 526
- Styli Sizes
 - by record type, 636
- Stylus**, 526
- sub-filters

- multifilter, 419
- Subharmonic Synthesizer, 327
- Sub-harmonics**
 - definition, 596
- Subsonic Explorer
 - Forensics, 375
- sub-woofer
 - dynamic bass processor, 335
- support**
 - additional support time, 562
- Support, 549
 - information, 566
- support time**
 - after product purchase, 562
- SW Radio**, 67
- Sweep, 160
- Sweep Type, 324
- Sweet Spots
 - Slider Green Zones, 21
- SWL, 553
- Sync Files, 466
 - icon, 466
- Synthesizer
 - Overtone, 329
 - sub-harmonic, 327
- System Maintenance**
 - DAWs, 510
- System Requirements, 24
- tag information, 111
- Tag Support
 - Various File Types, 546
- tails out
 - r-r tape recordings, 309
- TAO, 428
- tap
 - phone line, 646
- Tape Authentication, 500
- Tape Dropout Repair, 488
- Tape Head**
 - definition, 597
- Tape Head Gap**
 - definition, 597
- Tape Hiss, 488
- Tape Recorder Speeds**
 - definition, 597
- Tape Speed
 - Chart, 639
- target signal**, 339
- Task Pane
 - operating guides, 70
- Tasks Pane
 - enable/disable, 429
- TDAF, 344
- Tech Support, 549
- Telephone
 - Diamond Cut Productions, Inc., 566

- Telephone Interface Circuit
 - Analog, 646
- Telephone Jack Wiring, 641
- Telephone Signals, 646
- Telephone Touch Tone
 - frequency chart, 645
- temp files
 - Fast Edit, 35
- TempFiles directory
 - Temporary Files, 35
- tempo, 320
- Temporal Aliasing**
 - definition, 568
- Temporary Wave files, 168
- termination resistance
 - MM Phono Cartridges, 518
- terminology, 652
- test audio files**, 480
- THD (Total Harmonic Distortion)**
 - definition, 597
- THD + N**
 - definition, 597
- THD meter, 439
- Thermal Noise (Floor)**
 - definition, 597
- Threshold, 497
- thuds, 199
- thump, 214
- Ticks, 199
- Tile, 474
- TIM (Transient Inter-modulation Distortion)**
 - definition, 598
- timbre, 251
- Time Axis, 464
- Time Bracketed Play, 156
- Time Compression, 320
- time constant, 219, 348
- Time Constant**
 - definition, 598
- time delay, 344
- Time Derivative**
 - definition, 598
- Time Display, 457
- Time Domain Adaptive Filter, 344
- time domain interpolation, 131
- Time Format, 172
- Time Offset, 283
- Time Offset slider, 405
- Time/date Stamp, 193
- Time/Date Stamp, 193
- Timeline**
 - product development, 676
- Timer Recording, 157
- time-shifting
 - audio program, 157
- Tip of the Day, 475

- Title
 - DCTune Library, 101
- tone arm, 281
- tone controls, 266
- toolbar
 - customization, 429
- Toolbars, 469
- Total Harmonic Distortion plus Noise**
 - definition, 597
- Touch Tone, 499
 - Telephone, 645
- Track At Once**, 428
- Tracking, 205, 206
- Tracking Problems**, 527
- training**
 - classroom, 563
- training courses**
 - classroom, 565
- training DVDs**, 565
- Transfer Function, 353
 - measuring, 165
- Transformer**
 - definition, 598
 - transformer coupled, 303
 - transient response, 223
- Treble
 - Tone Control, VPA, 269
- Tremolo**
 - definition, 598
- Triangle Waves, 159
- Triangular
 - Windowing, 449
- Triangular High Pass, 166
- Triode**
 - definition, 599
- Trouble Shooting, 549
- TRS
 - Balanced Audio Circuits, 640
- tube, 294
- Tube**
 - definition, 599
- Tube Types, 300
- turnover frequency, 516
- Turnover Frequency**
 - Chart (78s), 631
 - definition, 599
- turntable, 516
 - connections, 30
- Tutorials, 480
- unbalanced audio
 - signal transmission, 551
- unbalanced RCA**
 - vs balanced XLR, 552
- Undo Procedure Using Fast-Edit Mode, 126
- Universal Mode**, 208
- Universal Serial Bus, 642

- Updates
 - product, 478
- Upgrading Information, 14
- USB, 642
 - Ripping to, 117
- user name
 - product registration, 14
- User Name**
 - legitimate characters, 562
- Vacuum Tube Simulator, 294
- Valve**
 - definition, 599
- Valves
 - common audio types, 649
- Variable Bit Rate (VBR), 88
- variable bit rates, 88
- Variable Frequency Mode
 - Punch & Crunch, 316
- VBR, 174
- vector angle, 451
- Vector Quantity**
 - definition, 599
- vertical cut
 - decode with VPP, 272
- Vertical Cut**, 599
- Vertical Cut Demo**
 - wavfile, 482
- Vibrato**
 - definition, 599
- Video File Container Chart**, 91
- Video/Audio Extraction, 90
 - Video Extraction, 90
- View Menu, 429
- Vinyl LP Mode, 207
- vinyl masters
 - cutting with RIAA EQ, 277
- Violet Noise**, 599
- Virtual Phono Preamplifier
 - VPP, 265
- Virtual Preamplifier, 265
- Virtual Valve Amplifier, 294
- Vista**
 - file paths, 564
- vocal attenuation, 312
- Vocal Ranges**
 - definition, 599
- Vocal Remover
 - channel blender, 312
- voice disguiser
 - forensics Voice Garbler, 410
- Voice Frequency Range**
 - definition, 599
- Voice Fundamental Frequency (F0)**
 - definition, 599
- Voice ID
 - forensics, 382

- voice ID test files
 - formants, 385
- Voice Over**
 - recordings, 560
- Voiceprint Demo Files**, 484
- Volume Control**, 268, 459
- Vorbis, 86
 - definition, 600
- vowel
 - formant, 382
- VOX**
 - definition, 600
- VOX Recording**, 150, 152
- VPA, 265
- VPP
 - Virtual Phono Preamp, 265
- VST Plug-in
 - support, 195
- VU Meter, 458
- VVA
 - Virtual Valve Amplifier, 294
- Watt**
 - definition, 600
- Wave file (.wav)**
 - definition, 600
- Waveform Statistics
 - forensics, 378
- WDM, 171
- Web Homepage
 - Diamond Cut Productions, Inc., 478
- Weighting Function**, 253
- Welsh, 449
- Wet, 292
 - definition, 600
- Which Tool Do I Use?**, 80
- Whisper Enhancer
 - forensics, 391
- White & Pink Noise
 - Spectral Display, 648
- White Noise**
 - definition, 600
- White to Pink Noise Converter, 165
- Width (or Q):
 - Harmonic Reject, 231
- Wind Noise Filter
 - dynamic, 287
- Window Menu, 474
- Window Selection, 436
- Window Weighting**
 - definition, 600
- Windows 7
 - file paths, 564
- Windows XP**
 - file paths, 564
- Windows10
 - supported, 24

- Wire Table, 643
- Wizard
 - record restoration, 70
 - Record Restoration Wizard, 70
- WLS
 - import file format, 110
- WMA, 86
- WMA File Encoding, 112
- Workspace, 85
- Worldwide Dial Tone Frequencies, 646
- Wow**
 - definition, 600
- Wow and Flutter**
 - definition, 601
- Write CD Text**, 428
- WYSIWYG
 - Printing, 122
- X-Axis**
 - definition, 601
- XLR
 - Balanced Audio Circuit, 640
 - microphone connector, 278
- XLR or TRS**
 - balanced vs unbalanced, 551
- XY Display**, 451
 - Left vs Right, 451
- X-Y plotter
 - vs Time graph, 412
- Y-Axis**
 - definition, 601
- YPbPr
 - Component Video, 640
- Z Axis, 366
- Z-Axis**
 - definition, 601
- Zero Crossing, 142
- Zero-Pad techniques, 370
- Zoom In, 463
- Zoom Out, 464
- Zooming Feature
 - via Waveform Overview, 465



Made in the U.S.A.